INDEX OF AUTHORS

VOLUME LII

TRANSACTIONS OF AMERICAN SOCIETY FOR METALS

1960

A

Averbach, B. L. 221–238, 434–450

B

Barker, R. S. 657–674
Bayce, A. E. 451–468
Beerntsen, D. J. 763–780
Bennett, J. A. 257–276
Bever, M. B. 221–238, 585–598
Bishop, C. R. 239–256
Borch, N. R. 494–513
Boulger, F. W. 698–712
Brophy, J. H. 567–584
Bush, G. W. 422–433

C

Carlson, O. N. ..1084–1096, 1097–1114
Clark, J. W. 95–115
Clough, W. R. 948–970
Cochardt, A. 914–928

D

Dhosi, J. M. 321–345
Dickerson, R. F. 748–762
Dorn, J. E. 451–468, 494–513
Dulis, E. J. 855–877
Dupouy, J. M. 221–238

E

Eash, D. T. 1097–1114
Eichelberger, T. W. 376–403
Elliott, R. P. 990–1014

F

Fleitman, A. H. 170–181
Flinn, R. A. 878–897
Form, G. W. 514–529
Frankel, H. E. 257–276

G

Gardner, H. R. 728–747
Gerds, A. F. 1027–1045
Gerty, J. M. 307–320
Gibson, E. D. 1084–1096
Gomez, M. P. 201–220
Goodwin, J. G. 812–829
Grozier, J. D. 812–829
Guard, R. W. 485–493
Gurland, J. 469–484

H

Hagel, W. C. 95–115
Hann, E. K. 376–403
Hill, H. N. 657–674
Hockett, J. E. 675–697
Hodapp, W. L. 404–421
Hsiao, C. M. 855–877
Hudson, R. M. 135–153
Hughel, T. J. 307–320

J

Jaffee, R. I. 182–190, 929–947

K

Kaddou, A. K. 116–134
Keh, A. S. 81–94
Kline, H. E. 713–727
Knudsen, A. C. 307–320
Kraft, R. W. Jr. 878–897
Krauss, G. Jr. 434–450
Kula, E. B. 321–345

L

Larson, F. R. 615–628
Levinson, D. W. 1115–1136
Lindsay, R. W. 422–433
Loria, E. A. 404–421
Ludemann, W. D. 451–468

M

Mallett, M. W. 1027–1045
Mikus, E. B. 307–320

N

Nishimatsu, C. 469–484
Nunes, J. 615–628

O

Obinata, I. 1059–1071, 1072–1083
Olsen, K. M. 545–566
Opie, W. R. 191–200

P

Palmer, H. R. 191–200
Pavlovic, A. S. 948–970
Pennington, W. A. 257–276
Peretti, E. A. 1046–1058
Peterson, D. T. 763–780
Polonis, D. H. 201–220
Porr, W. C. 81–94

R

Riches, J. W. 728–747
Roe, W. P. 191–200
Rosenthal, P. C. 116–134
Rubenstein, L. S. 812–829
Russell, R. B. 781–796

S

Saikawa, S. 1059–1071, 1072–1083
Schaller, F. W. 848–854
Schmatz, D. J. 346–375, 898–913
Schwartzberg, F. R. 182–190
Semmel, J. W. Jr. 1015–1026
Seybolt, A. U. 971–989
Shepard, L. A. 451–468, 494–513
Shyne, J. C. 346–375, 848–854
Sims, C. T. 929–947
Sinnott, M. J. 567–584
Spretnak, J. W. 629–656
Stern, M. 239–256
Stragand, G. L. 135–153

T

Takeuchi, Y. 1059–1071, 1072–1083
Tanner, L. E. 1115–1136
Troiano, A. R. 54–80

U

Uhlig, H. H. 830–847

V

VerSnyder, F. L. 485–493

W

Wagner, H. J. 629–656
Wagner, R. K. 713–727
Weissmann, S. 599–614
Werner, F. E. 376–403
Wessel, E. T. 277–306
White, R. A. 830–847
Whiteley, R. L. 154–169
Willey, L. A. 657–674
Williams, D. N. 182–190
Williams, J. M. 585–598
Williams, R. O. 530–544

Z

Zackey, V. F. 346–375, 848–854
Zukas, E. G. 797–811

SUBJECT INDEX

ASM Advancement of Research Medal 50–51
ASM Awards 9–10, 20–21, 46–47
ASM Chapters and Officers...xiii–xx
ASM Convention, Forty-first Annual
Technical program 1–8
Reports of officers 11–41
ASM Educational Films and Aids..22
ASM Election of Officers.....42
ASM Foundation for Education and Research 37–41
ASM Gold Medal.....51–53
ASM Headquarters Building, Novelty, Ohio 12, 31
ASM Honorary Membership....47–50
ASM Metals Engineering Institute 35–36
ASM Publications 31–34
ASM Seminars 13, 14, 19, 20
ASM Standing Committee.....x–xii
Activation energies
for creep of an alpha solid solution of magnesium in aluminum 491–513
for delayed yielding.....509
peak in Al-3.2% Mg alloy...501–505
titanium-copper alloy tempering reaction 214, 217, 219–220
Aging
effect on tensile properties of 2014 alloy 518–519
in copper-chromium alloys several distinct processes 536–540, 543
kinetics for copper-chromium alloys 536–538
relation to impact energy of 2014 alloy 523
relation to notch-fatigue performance of a high strength aluminum alloy 514–529
temperature does not effect precipitation process 535
time and number of cycles to failure in 2014 alloy.....519–520
Aging temperature
effects properties of ferro-magnetic cobalt-base alloys 919–923
Allotropic modifications
boron has two known 971
Alloy steel—Trade designation
301
yield strength effected by tensile prestrains 339
304 .....726, 1028
corrosion resistance compared with titanium-palladium 249–250
thermal conductivity 569, 576
310 1028
316
compatibility with graphite 1039–1040
corrosion resistance compared with titanium-palladium 249–250
microstructure 1031, 1036, 1037, 1039
318
microstructure 1031, 1036
321 1028
347 1028
403 95–114
creep-rupture data 922–923
damping capacity 915
damping very low.....110
magnetic field effects damping 102, 110
oxidation resistivity 923–924
static stress significantly changes damping 96
static stress and temperature influence damping 100–103
420 368–369
422 927–928
1010 616–625
1016 117–121
insensitive to temper embrittlement 117
internal friction curves....120–121

Alloy steel—Trade designation (cont.)
2014
crack formation and propagation related to fatigue performance 520–522
fatigue properties 519–523
hardness effected by room temperature aging ...517–518
impact energy related to aging time in 2014 alloy...523
overaging theory 514–516, 523–524, 526
relation of aging time and number of cycles to failure 519–520
tensile properties 528
tensile properties effected by aging 518–519
3310
highly sensitive to temper embrittlement 117
internal friction curves....119–124
4340 262–264
directionality effects impact properties 332–334
directionality effects tensile properties 332–334
ductility effected by forging 640–642
ductility effected by hydrogen content 66
effect of deformation on reduction of area.....636, 638
effect of hardness on fatigue strength 263–264
effect of inclusions on mechanical properties during forging 639–641
embrittlement 325, 336, 337
hardness after tempering.....329
forging effects on mechanical properties.629–642
impact properties effected by tempering 327–330
impact properties vary with percent reduction at various tempering temperatures 327–332
mechanical properties effected by deformation prior to transformation 321–345
microstructure 262
microstructure 325, 326, 335
proeutectoid ferrite formed.. .....323, 329, 330, 342, 344
recrystalization 326
reduction 326–329, 336
special hardening improves properties 337–338
tensile properties effected by tempering temperature 324–327
tensile properties not effected by forging 636–637
tensile properties vary with percent reduction at various tempering temperatures ...327–328, 331
5140 81–93
internal friction 129
temper brittleness 128–130
52100 .....262, 307–320
cause of dimensional instability 514
dimensional stability at various stresses and temperatures 311–315
effect of hardness on fatigue strength 264
eliminating retained austenite gives dimensional stability 315
microstructure 262
retained austenite content and hardness 312, 314

Alloy steel—Trade names
Alnicro 1030, 1031, 1033, 1041
Deward 262, 264
Halcomb 218 .....416, 421
Hastelloy Alloy C.....249–250
Inconel 249–250, 1030, 1031, 1033, 1034
Inconel X ...1030, 1031, 1033, 1041
LaBelle-HT 365–367
Monel 249–250
Nichrome V..1030, 1031, 1033, 1041
Nivco 927–928
Potomac 367–368

Alloy steel—Trade names (cont.)
Sphere-a-steel 568–570, 576
Stellite 31 918
Super Tricant 365–367
Tioga 262, 264
Alloys, experimental
austenitic chromium-manganese-carbon-nitrogen 856–877
austenitic containing aluminum and silicon 898–913
cobalt base 915–928
Alnico
compatibility with graphite.....1036–1039, 1041
microstructure 1031, 1034
Alpha prime
kinetics of decomposition in titanium-copper alloy ...210–220
Aluminum
activation energies for creep....498
activation energies for creep of an alpha solid solution of magnesium in 491–513
activation energy needed for creep 451, 454
content effect oxidation resistance of iron-aluminum-manganese-carbon alloys 900, 906, 909
content in iron-aluminum-manganese-carbon alloys related to embrittlement....909
effect of stress on creep in the dislocation climb range.451–468
effect on nickel recrystalization..552
effect on nickel recrystalization temperature 553, 555
effects properties of farro-magnetic cobalt-base alloys 920–923
specimen studied by x-ray reflection microscopy ...599–609
Aluminum alloy
fatigue performance due to overaging 514–515
relationship between state of aging and notch-fatigue performance of a high strength 514–529
Aluminum alloy (cont.)
residual quenching stresses relieved by thermo-mechanical method 657–674
Aluminum-copper composites
fracture surfaces 593–595
microhardness 591–593
microstructure 590
most important property strength of the bond.....587
prepared by solid-state bonding 585–598
role of diffusion 592–593, 597
sintering time related to tensile strength 588, 596
two-step method of preparation used, rolling then sintering 585–587, 595
Aluminum-magnesium alloy
Al-3.2% Mg
activation energies for creep...498
activation energies for creep agree with those for pure aluminum 499
activation energy peak....501–505
Annealing, box
changes in furnace gas composition 144
composition of gas.....140–145
gas metal reactions.....135–154
of low carbon steel.....135–153
"surface carbon" on sheet.....149
time-temperature cycles.....142–143
Annual Address of President....11–16
Antimony-bismuth-indium system
constitution studies 1046–1058
microstructures 1056–1057
Arrhenius equation 451
Arrhenius plot
determines activation energy for tempering reaction in titanium-copper alloy 214
oxygen diffusion in alpha and beta titanium 194–195
As-cast alloys
effect of boron on mechanical properties at ambient temperatures 881–884
effect of boron on mechanical properties at 1500 °F...884–889

As-cast alloys (cont.)
microstructures 882, 888
electrical conductivity ..569, 572–573
thermal conductivity 569, 576
Atom size
of additive elements effects recrystallization temperature of nickel 553–556
Atwood, John L.
Awarded 1959 Medal for the Advancement of Research.50–51
Ausformed steels 373–375
Austempering 315, 317, 318, 319
Austenite
aging decreases in 17Cr-4Ni-3Mo alloy steel 439
cold working may limit size of martensite plates formed 357–360
deformation and martensite size 356
deformation of metastable and tempering effect yield and tensile strength 350–352
deformation of metastable influences yield and tensile strength 349–350
kinetics of transformation.....
.....356–357, 360
microstructure deformation..352–355
strength of martensite from cold-worked 346–375
transformation in Cr-Mo-V steel 379, 381
Austenite, retained
affects dimensional stability.311–315
reduced by heat treatment...315–316
Austenitic alloys
structure and properties of those containing aluminum and silicon 898–913
Austenitic chromium-manganese-carbon-nitrogen steel
carbon effect on strength....865–867
creep-rupture strength 865–873
effect of interstitial carbon plus nitrogen and precipitation reactions 855–877
effect of prior heat treatment 872–873
Austenitic chromium-manganese-carbon-nitrogen steel (cont.)
elevated temperature tensile properties 864
importance of interstitial elements 873–874
interstitial elements effect strength 860–863
microstructure of creep-ruptured specimens 869–873
microstructures 858, 859
microstructures effect tensile properties 863
effect tensile properties at elevated temperature.864–865
nitrogen effect on strength...865–867
precipitation reaction effects..
.....863–864, 873–874
precipitation reactions in aging 857, 859–860
tensile properties 860–861
two types of precipitation reaction 857–860
Austenitic iron-aluminum-manganese-carbon alloys
aluminum content related to embrittlement 909
effect of additions of other elements on tensile properties 900, 902
effect of manganese additions....904
effected by prestraining and aging 904, 906
tensile properties 899–900
Austenitizing 444–445, 450
Cr-Mo-V steel 381, 387–391
Autocatalytic equation
applied to decomposition kinetics of titanium-copper alloy 211–215

Bain, Edgar C.
Honorary Membership conferred 48–50
Bainite
isothermal tempering 382–383
stress-rupture properties....385–389
transformation in Cr-Mo-V steel 379, 381

Ball Bearing material
dimensional stability 307–320
Barriers
three types to creep in pure metals 460
to creep in pure metals.....460–466
Bayless, Ray T.
Certificate of appreciation....43–44
Bending loads
versus deflection of WC-CO compacts 473–474
Berg-Barrett micrographs 603, 611, 613
Bismuth
solubility in titanium.....1070
Boltzman distribution function.....67
Boron
additions effect austenitic iron-aluminum-manganese-carbon alloys 900, 902
analysis 972
density 984
effect on mechanical properties of as-cast alloys at ambient temperatures 881–884
effect on mechanical properties of as-cast alloy at 1500 °F 884–889
effect on nickel recrystalization..554
effect on nickel recrystallization temperature 553, 555
effects corrosion cracking in stainless steel 842
exploration of high boron alloys 971–989
high pressure creates no new phase 985
hot hardness 985–988
in cast austenitic alloys.....878–897
interstitial element 54
microstructure 973, 976–984
microstructure cerium alloy.977, 978
microstructure cobalt alloy.... .....982, 983, 984
microstructure columbium alloy 979, 980
microstructure gallium alloy....976
microstructure iron alloy...982, 983
microstructure molybdenum alloy 980, 981, 982
Boron (cont.)
microstructure nickel alloy..982, 983
microstructure rhenium alloy 981, 982
microstructure silicon alloy 977, 978, 980
microstructure tantalum alloy 980, 981
microstructure tin alloy.....980
microstructure titanium alloy 979, 980
microstructure tungsten alloy 981, 982
microstructure yttrium alloy 976–978
microstructure zirconium alloy 979, 980
Ti,Zr,Mo increase hot hardness..988
Ti,Zr,Mo,Fe,Co,Ni have appreciable solid solubility in boron 988
two known allotropic modifications 971
wetting 975
x-ray diffraction of alloys...975–984
Box annealing
See Annealing, box
Brittle failure
caused by interstitials other than hydrogen 73–74
due to series of crack initiations...65
involves initiation and propagation of cracks.....55
Brittle fracture
by cleavage in Cr-Mo-V steel...390
definition 278
intergranular in embrittled steel 124–125
sharp crack-notch most effective in causing 288
strain necessary to initiate.....278
three types in forging steel..282–283
total fracture process.....278
transgranular in tough steel.124–125

Calcium
solubility in titanium.....1080–1081
Campbell Memorial Lecturers.....viii
Campbell Memorial Lecture.....54–80

Carbide rich alloys
deformation characteristics..482–483
Carbon
additions effect austenitic iron-aluminum-manganese-carbon alloys 899–900, 903, 906, 909
atoms promote temper brittleness 116, 131
effect on fatigue strength.....271
effect on nickel recrystallization 555
effect on nickel recrystalization temperature 553, 555
effects corrosion cracking in stainless steel 840, 842
interstitial element 54
solubility in columbium 1010
strengthening effect on austenitic chromium-manganese-carbon-nitrogen steel 865–867
Carburization 135, 148
stainless steels 1028–1029, 1043
Cast austenitic alloys
effect of boron 878–897
heat treatment effects creep rupture properties 889–895
x-ray diffraction patterns of borides 886, 887, 889
Charpy "V" notch impact test.289–291
compared with crack-notch.289–291
Chromium
additions effect austenitic iron-aluminum-manganese-carbon alloys 900, 902
effect on ferromagnetic cobalt-base alloys 925
nucleation 539
possible structural sequences in precipitation from copper 538–540
solubility in copper.....535–536
strain energies of precipitate in copper 539–540
Chromium magnet steel
effect of cooling rate on magnetic properties 404–421
Chromium-manganese-nickel steel
ductility 849, 853, 854
interstitial content determines strength at low temperatures 848
martensite content 850–851
nickel increases ductility.....853
nitrogen content effects strength 848–852
strain induced martensite effects ductility 851
temperature influences yield strength with varying nitrogen content 851
tensile and yield strength at low temperatures 848–851
tensile strength and strain induced martensite 849
tensile strength with varying nitrogen content 850
Chromium-molybdenum-vanadium steel
austenitic grain size.....389–390
importance of 393
creep properties 390
hardness related to room temperature strength.384–385
impact properties 389
importance of heat treatment 394–395, 376
mechanical properties 384–385
microstructure 380
notch sensitivity 390–392, 394
properties effected by austenizing, tempering and microstructure ...376–403
stress-rupture properties ..384–389
tempering behavior 382–384
transformation diagram ..379, 381
Chromium-nickel-aluminum steel
17Cr-7Ni-1Al
delta ferrite content.....437–439
hardening mechanism 439–442
martensite content 437–439
precipitation reaction increases hardness 442
retained austenite 437–439
x-ray diffraction 436–437

Chromium-nickel molybdenum steel
17Cr-4Ni-3Mo
aging decreases austenite content 439
17Cr-7Ni-3Mo
delta ferrite content.....437–439
hardening mechanism 439–442
martensite content 436–437
17Cr-4Ni-3Mo
martensite transformation versus solution temperature in precipitation hardening 438
17Cr-7Ni-3Mo
retained austenite 437–439
x-ray diffraction 436–437
Chromium steel
3.5% chromium magnet steel
magnetic tests 407–410, 418
cooling rate influences quantity of retained austenite 405, 411
TTT diagram 405–406
5% chromium steel
directionality not effected by selenium 704–707
Cobalt
additions effect austenitic iron-aluminum-manganese-carbon alloys 911
effect on nickel recrystallization..551
effect on nickel recrystallization temperature 553, 555
effects corrosion cracking in stainless steel 842
properties 470
Cobalt-base high temperature alloy
development of a ferromagnetic 914–928
Cobalt-Nickel alloys
static stress and temperature influence damping 105–109
Cobalt-Nickel-Iron alloy
highest damping 107
magnetic field effects damping...107
Cobalt rich alloys
deformation characteristics..482–483
Cohen equation
applied to decomposition kinetics of titanium-copper alloy 211–215
Cold working
of austenite may limit size of martensite plates formed 357–360
Cold working of 5140 steel
effect after embrittlement....84–85
effect on degree of embrittlement 83–85
effect on impact transition temperatures 84–85
effect on notch toughness.....83–84
effect on temper brittleness 81–94
impairs ductility 89
reduces susceptibility to temper brittleness 93
Columbium
carbon solubility in 1010
effects corrosion cracking in stainless steel 841
effects grain size in tungsten-columbium alloys 1016, 1021
low strain rate hydrogen embrittlement 71
nitrogen solubility in 1010
oxygen solubility in.....1010
raises melting point of tungsten-columbium alloys 1015–1017
reduces oxidation in tungsten-columbium alloys 1016–1017, 1021
Columbium-oxygen alloys
allotropy 1003, 1005
chemical analysis 992, 994
crystal structure 1003
eutectic reaction 995, 997–1002, 1005–1006
hardness 1003, 1005
incipient melting data.....993–997
isothermal annealing 993–994
microstructure 996, 998–1001, 1011–1012
peritectic reaction 1001–1002, 1013–1014
X-ray data 1003–1005

Columbium-oxygen system ..990–1014
phase diagram 995–1002
three oxides exist.....1005
Compatibility of metals and alloys with graphite....1027–1045
Constitutional diagrams
See Phase diagrams
Cooling rate
quickest produces least retained austenite 409, 411
slowest produces most retained austenite 409, 411
Copper
additions effect austenitic iron-aluminum-manganese-carbon alloys 911
compatibility with graphite 1031, 1042–1044
content effects fracture strength in low carbon steel 424–428
content effects tensile properties of low carbon steel.....422–433
effect on work hardening modulus of low carbon steel 426, 430
less than 0.1% does not effect drawability of low carbon steel 430
microstructure 1031–1032
solubility of chromium in...535–536
strain energies of chromium precipitate 539–540
Copper-chromium alloys
aging is several distinct processes 536–540, 543
hydrostatic straining is not achieved 541
length changes in aging.....530–532
kinetics of aging 536–538
precipitation process in.....530–544
strain hardening rate.....533
tensile properties of sheet...532–533
x-ray diffraction patterns...533–535
yield strength versus composition 541–542
Copper-nickel composites
microhardness 593
Coring
in tungsten-columbium alloys...1024
Corrosion
metallographic study of stringer type in zircaloy-2 812–829
resistance of titanium-palladium alloy to.....239–256
effect of boron in stainless steel 842
carbon 840, 842
cobalt 842
columbium 841
nickel 840, 843
nitrogen 840, 844
silicon 841, 842, 844
titanium 841
of austenitic stainless steels..830–847
Corrosion cracking mechanism
in stainless steels.....845–846
Corrosion stringers
cause 816, 819, 821
effect of cladding integrity of zircaloy-2 .....814, 816
eliminated by thermal treatment..821
micrographs of 815, 817–818, 820, 821
related to microstructure.....814
restricted to locale of defect.....816
Cottrell atmospheres 116, 122, 129, 132, 133, 134, 504, 511
Cottrell-Bilby theory of yielding 953
Cottrell locking of dislocations.. .....494–496, 501–509, 512
Cottrell mechanism of dislocation locking 74
Crack extension force G_c
increases with temperature.....291
is a complex function.....299
measure of fracture toughness 291–293
physical meaning 300–303
Crack initiation
controlled by hydrogen concentration plus stress 55–57, 65–67
incubation period important.....58
incubation period depends on hydrogen concentration...59, 61
incubation period relation to absolute temperature 61–62

Crack-notch tensile tests
compared with Charpy "V" impact test 289–291
fracture appearance transition...287
measure for Ni-Mo-V forging steel 292
relation to tensile properties.....286
relation to ductility.....286
Crack propagation
depends on hydrogen plus stress 63–67
discontinuous process 63
role in delayed brittle fracture.73–74
Cracks
formation and propagation related to aging 527–528
formation and propagation related to fatigue performance in 2014 alloy..520–522
length effects fracture strength..289
size effects fatigue strength.....295
pre-existing effect fracture strength 295
Creep
activation energies for, of an alpha solid solution of magnesium in aluminum.491–513
activation energies of pure aluminum and an alloy.....498
cause 451
effect of stress decrease.....454–459
effect of stress increase....457, 461
effect of stress pulsing.....457–458
effect of stress rate.....452–453
grain size does not effect activation energy 497
high temperature controlled by a dislocation climb mechanism 499
intermediate temperature controlled by recovery process of cross-slip 499–500
low temperature, arises from activation of the Peierls process 501
needed activation energy in aluminum 451, 454
of Cr-Mo-V steel 390
resistance of zirconium alloys to 722–726
Creep (cont.)
secondary creep rates.....458–463
Cross-slip
activation energies for single aluminum crystals 499–501
relation of delay time for activation and time for diffusion of solute atom.504–505
Crystal structure
columbium-oxygen alloys 1003
Cup drawing test.....169
Curie temperature 103, 106, 109
temperatures 914, 920, 925
Cyclic stresses
ratio to static yield strength in 2014 alloy 520–522
results in overaging in 2014 alloy 514–516

Damping
AISI 403 very low.....110
effect of static stress and temperature on internal..95–115
factors influencing in cobalt-base ferromagnetic alloys 917–920
hardness effect capacity of ferromagnetic cobalt-base alloys 918–919
highest in soft cobalt-nickel-iron alloy 107
magnetic field effects.....102, 110
measure of internal.....100
measured by Foeppl-Pertz apparatus 113–114
related to the basic mechanism of temper brittleness 119, 120, 121, 122, 124, 125
results from plastic flow.....106
static stress and temperature effect AISI 403 100–103
temperature effects capacity of ferromagnetic cobalt-base alloys 918–920
titanium very low under all tests..95
vibration amplitude effects capacity of ferromagnetic cobalt-base alloys 917–918
vibrational stresses increase.....114

Damping, Internal
See Damping
Decomposition of alpha prime
alloy 210–220
kinetics of in a titanium-copper
mechanism suggested for
tempering reaction 215–217
Deformation
effect on martensite.....334–336
effect on reduction of area in
iron and AISI 4340....636, 638
influenced by grain boundaries...485
method for determining local
degree 643–644
Deformation, tensile
WC-CO alloys 472
Delayed failure
conventional tests may not detect.57
occurs without hydrogen.....73–74
results from lowering fracture
strength of lattice 75
role of stress in 67–70
sensitive to hydrogen
concentration 56–57
3 distinct stages.....62
Deward
effect of hardness on fatigue
strength 264
microstructure 262
Diffusion
oxygen in alpha and beta
titanium 191–200
Diffusivity
oxygen in alpha and beta
titanium 195
Dimensional instability
depends on stress and
temperature 312, 314, 316
definition 307
important in development of
missiles and rockets.....316
important in precision parts
design 308
two basic reactions affect...311–312
Dingot uranium
term defined 729
Dioxide
inclusions in uranium.....760
Directional grain structures for high temperature strength.485–493
Directionality
effect of nonmetallic
inclusions 707
effects energy to fracture...305–306
effects impact properties of
AISI 4340 332–334
effects tensile properties of
AISI 4340 332–334
important in drawing quality of
sheet steel 154–169
"normal" directionality 154
"planar" directionality 154
not effected by selenium.....707
Dislocation climb range
stress effects on creep in
aluminum 451–468
Dislocation locking 74–75
Dislocations
athermal unlocking 506–507
Cottrell locking .....
.....494–496, 501–509, 512
Suzuki locking 494–495, 501
types of atmospheres
determine temper
brittleness 126
Drawability
affected by crystallographic
orientation 424, 429
affected by tensile properties
of the metal 424
cupping test as a measure.....163
depend on R values 168
independent of aging 168
less than 0.1% copper does not
effect low carbon steel.....430
measured by hydraulic bulge
test 431–432
"normal" directionality
determines 164
of sheet steel.....155–157
related to work hardening
modulus 433
Ductile cast iron
electrical conductivity 569, 576
microstructure ...568, 570, 572–574
thermal and electrical
conductivity 567–584
thermal conductivities 569, 579
Ductile-to-brittle transition .....
.....281, 283, 289, 295

Dynamic elastic modulus
temperature increase reduces....108

Einstein equation 502
Elastic modulus
aging raises in Ti-6A1-4V alloy 225–226
Electrical conductivity
ductile cast iron and gray cast iron 567–584
graphite lowers in cast irons... .....573–574, 577–578, 580
Lorentz number gives theoretical relationship with thermal conductivity 567–568, 580
Electrical resistance
tempering changes in titanium-copper alloy ...208–210
trace elements effect in high purity nickel 545–566
Embrittlement reaction
reversibility 120, 123
curve 123
Equilibrium diagrams
See Phase diagrams
Eutectic reaction
columbium-oxygen alloys 995, 997–1002, 1005–1006
thorium-yttrium alloys 1112
uranium-hafnium alloys 767–769
Zirconium-Iron-Tin System 1115, 1116, 1125, 1130, 1132

Fatigue
behavior determined by inherent properties of the material...526
commonest cause of mechanical failure 257
hardness increases fatigue strength 263–264
phenomena not well understood.157
Fatigue properties
effect of marquenching.....271, 274
effect of quenching.....271–272
effect of shot peening.....273
effect of tempering techniques 271–272
effected by metallurgical variables 258
Fatigue properties (cont.)
ferromagnetic cobalt-base alloys 922–923
high strength steels.....257–276
2014 alloy 519–523
Fatigue strength
effect of carbon content.....271
effect of retained austenite.... .....264–269, 272–273
microstructure effects more than alloy content.....271, 273
related to hardness.....263–265, 273
Ferrite-pearlite
stress rupture properties in Cr-Mo-V steel 386–387
transformation in Cr-Mo-V steel 379, 381, 382
Ferromagnetic alloys
factors effecting damping in cobalt-base alloys 917–920
high damping capacity.....914
Ferromagnetic cobalt-base alloys
aging temperature effects properties 919–923
aluminum effects properties of ferromagnetic cobalt base alloys 920–923
creep-rupture and fatigue properties 922–923
effect of chromium.....925
effect of silicon.....925
effect of titanium content....920–923
microstructure 924–925
oxidation resistivity 923–924
Ferrous materials
hot forging effects mechanical properties 629–656
Fick's law 193
Fisher theory of delayed yielding 496, 507–508
Fluoride
inclusions in uranium.....759
Foeppl-Pertz
apparatus for measuring damping 113–114
Forging
effect on mechanical properties of certain ferrous materials 629–656

Forging (cont.)
ratio related to porosity, heterogeneity and reduction of area.....631–632
Forward slip
effect in hot rolling titanium 618–619, 625–627
temperature effects in hot rolling titanium 625
Fracture
aluminum-copper composite surfaces 593–595
appearance 283, 284, 285, 287
influenced by grain boundaries...485
initiation mode from shear to cleavage .281, 288–290, 291, 295
propagation along grain boundaries 485
Fracture strength
behavior 284, 294
crack length effects.....289
crack size effects.....295
depends on temperature.....295
Ni-Mo-V under different test conditions 293–295
pre-existing cracks effect.....295
related to specimen geometry...295
Fracture theory
influence of notches an important factor 68
Fracture toughness
crack extension force measures 291–293
not dependent on specimen size..291

G.
See Crack extension force
Definition 297
Grain shape 168
Grain size 168
does not effect activation energy for creep.....497
importance in Cr-Mo-V steel....393
increases strength 334–336
trace elements effect.....563
uranium 755–757
Graphite
compatibility of metals and alloys with 1027–1045
Graphite (cont.)
high content gives high thermal conductivity 582
lowers electrical conductivity in cast irons.....573–574, 577–578, 580
structure determines thermal conductivity in cast irons 571–572, 580
Gray cast iron
microstructure 568, 571
thermal and electrical conductivity 567–584
"green bond"
produced in solid-state bonding 585, 588, 595
Griffith equation 297–298
Griffith theory of brittle fracture..294

Hafnium
solubility in uranium.....766–768
Halcomb 218 .....416, 421
Hardening
mechanism related to austenite 439–442
mechanism related to martensite 439–442
Hardness
function of aging time.....517–518
related to fatigue strength...263–265
Harris-Mueller method of analysis pole densities of uranium 781–784, 793–795
Hastelloy Alloy C
corrosion resistance compared with titanium-palladium alloy 249–250
Heat treatment
desirable for steam turbine rotor steel 394
Heat treatment of steel
chemical reactions governing....136
Hertz stress 320
High temperature strength directional grain structure effects 485–493
Hill-Longman theory
measuring flow stress and friction 695

Hitchcock equation
for calculating elastic deformation 694, 696
Hunter, Dr. Matthew
Awarded ASM Gold Medal...51–53
Hydraulic Bulge Test
measures drawability 431–432
Hydride
inclusions in uranium.....759–760
Hydrogen
anomalous effect on mechanical properties of Ti-8Mn alloy sheet 170–181
concentration plus stress controls crack initiation...55–59
content effects stress required for rupture of notched and unnotched Ti-8Mn Alloy sheet 174–175
diffusion causes slow strain rate embrittlement 55
diffusion rate at low temperatures.66
embrittlement of nickel alloys..76–77
embrittlement of styrene.....77
interstitial element 54, 55
lowers fracture strength of the lattice 75
solubility greater in alloyed than unalloyed beta titanium.188
solubility in alpha titanium unalloyed 184
solubility in beta titanium unalloyed 188
tensile ductility effected by temperature when containing Ti-140A 187
Hydrogen embrittlement
caused by hydride precipitation 182, 185
of nickel alloys.....76–77
of styrene 77
of titanium alloys.....182–190
of titanium and titanium alloys 170–171
of Ti-8Mn Alloy sheet.....170–181

Impact energy
related to aging time in 2014 alloy 523
**Incipient melting techniques used for data on columbium-oxygen alloys 993–997
Inclusions in 5% chromium steel
vary in shape.....705–707, 711–712
vary in size with sulphur and selenium content 705–707
Inconel
microstructure 1031, 1035
corrosion resistance compared with titanium-palladium 249–250
Inconel X
compatibility with graphite.... .....1036–1038, 1041, 1044
microstructure 1031, 1035
Internal friction
at room temperature.....117
curves AISI 1016.....120–121
curves AISI 3310.....119–124
relation to temper brittleness in steel 116–134
peak AISI 3310 steel..... .....118–121, 123–124
peak 5140 steel.....129
peak independent of stress amplitude 121–122
peak AISI 1016 steel...120, 125–126
Interstitial elements
all have high diffusion rate.....54
characteristics vary widely...54, 55
influence mechanical behavior of alloys 54
strengthening effects in austenitic chromium-manganese-carbon-nitrogen steel 860–863
Iron
ductility effected by forging.640–642
effect of deformation on reduction of area.....636, 638
effect of inclusions on mechanical properties during forging 639–641
forging effect on mechanical properties 629–642
tensile properties not effected by forging 636–637
Isothermal transformation 345

Isothermal transformation (cont.)
uranium-0.5 w/o columbium 0.5 w/o molybdenum alloy 802, 805, 808
Isothermal transformation treatment 856

Kinetics
alpha prime decomposition in a titanium copper alloy...201–220
of aging copper-chromium alloys 536–538

LaBelle-HT steel 365–367
Laboratory tests
sometimes difficult to reconcile with production results.....708
Lateral spread
in hot rolling titanium..... .....618–619, 622, 625–626
temperature effects in hot rolling titanium 625
Lattice
delayed failure results from lowering fracture strength....75
fracture strength lowered by hydrogen 75
slow strain rate embrittlement results from lowering fracture strength 75
strain aging embrittlement results from lowering fracture strength 75
Lead
additions benefit tool steels.... .....702, 709–712
Lomer-Cottrell dislocations ...460–468
Lorentz number 568, 580
Lorig, C. H.
President's Address 11–16
Low alloy steel
See Steel, low alloy
Low-carbon steel
box annealing 135–153
drawability not affected by less than 0.1% copper.....430
effect of copper on tensile properties 424–433
equation to calculate true stress-true strain 423–424
Luders' band 507–509

Machinability
5% chromium steel effected by selenium 698–712
5% chromium steel effected by sulphur 698–712
rating evaluation procedure.700–701
Magnesium
effect on nickel recrystallization.554
effect on nickel recrystallization temperature 553, 555
Magnetic field
effects damping 102, 107
Managing Director's Report.....30–36
Manganese
additions effect austenitic iron-aluminum-carbon alloys 904
effect on nickel recrystallization.551
effect on nickel recrystallization temperature 553, 555
Marquenching
effect on fatigue properties..271, 274
Martensite,
cold working may limit size of the plates formed in deformed austenite 357–360
content in 17Cr-7Ni-1Al....437–439
content in 17Cr-7Ni-3Mo...437–439
decomposition in titanium-copper alloy measured by electrical resistance variation 209–210
effect of deformation.....334–336
microstructure with austenite deformation 352–355
size and austenite deformation...356
size and yield strength and fracture stress 358–359
strength of, formed from cold-worked austenite 346–375
transformation in Cr-Mo-V steel 379, 381
"massive" vanadium 949
Mechanical Literature Searching Project 34, 35
Mechanical properties of certain ferrous materials related to hot forging 629–656
Membership Award, Honorary..47–50

Metallography uranium 748–762
Metals
substructure characteristic studies of fine grained by x-ray reflection microscopy and diffraction analysis.599–613
Microhardness
tempering changes in titanium-copper alloy 206, 208
Microstructures
aluminum-copper composites 590
antimony-bismuth-indium alloy 1056–1057
as-cast alloys with varying boron content 882, 888
austenitic chromium-manganese-carbon-nitrogen steel ..858, 859
boron alloys 973, 976–984
Cr-Mo-V steel 380
creep ruptured austenitic chromium-manganese-carbon-nitrogen steel...869–873
ductile cast iron ..568, 570, 572–574
effects austenitic chromium-manganese-carbon-nitrogen steel tensile properties.....863
tensile properties at elevated temperatures 864–865
ferromagnetic cobalt-base alloys 924–925
gray cast iron.....568, 571
sphere-a-steel 568, 570
uranium 751, 754, 755, 758–760
uranium 0.5 w/o columbium 0.5 w/o molybdenum alloy 801, 803, 804, 811
WC-CO compacts 474–481
zircaloy-2 .....
815, 817–818, 820, 821, 825, 828
Molybdenum
additions effect austenitic iron-aluminum-manganese-carbon alloys 902, 912
compatibility with graphite 1031, 1041
does not improve oxidation resistance in tungston-columbium alloys 1016
low strain rate hydrogen embrittlement 71
Molybdenum (cont.)
microstructure 1031, 1032
Molybdenum-rhenium alloy
deformation 930
high intergranular strength.....930
Molybdenum-rhenium wire
properties compared of wrought and recrystalized with unalloyed molybdenum..931–932
Molybdenum-rhenium alloys
rhenium increases ductility.929–930
Monel
corrosion resistance compared with titanium-palladium 249–250
Monotectoid reaction
uranium-hafnium alloys 771–773

National Metal Congress.....23–24
Necking 282, 877
Néel relationship 412, 419, 420
Nichrome V
microstructure 1031, 1034
Nickel
added elements effect electrical resistivity 556–557
added elements effect tensile strength 556–557
additions effect austenitic iron-aluminum-manganese-carbon alloys 900, 902, 911
atom size of various additives related to recrystallization temperature 553–556
compatibility with graphite....
.....1031, 1041–1044
ductility of pure.....549–550
effect of purity on annealing.559–560
effects corrosion cracking in stainless steel 840, 843
electrical resistance of pure.....549
low strain rate hydrogen embrittlement 71
microstructure 1031, 1032
recrystallization
effected by elements with extensive solid solubility, carbon, manganese and tungston 550–551

Nickel (cont.)
effected by elements with limited solid solubility, silicon, titanium and aluminum 550, 552
effected by elements with very limited solid solubility, carbon, magnesium, boron and zirconium.550, 554
tensile properties of pure.....549
trace elements effect tensile, electrical resistance and recrystallization properties 545–566
nickel alloys
creep properties 561
hydrogen embrittlement 76–77
tensile properties 561
Nickel-chromium-aluminum alloys 486–493
columnar grains parallel to applied stress increase ductility 492
columnar grains parallel to applied stress increase elevated temperature strength..492
creep rupture data 489–490
directional structure related to stress axes 488
fracture for different grain boundary orientation 492
macrostructure of ingot.....486–487
microstructure 486
Nickel-molybdenum vanadium forging steel
crack-notch tensile properties....292
directional effects on notch transition behavior 306
ductile-to-brittle behavior 281, 283, 289, 295
fracture initiation strength.....294
fracture strength depends on temperature 295
fracture strength under different test conditions.293–295
influence of pre-existing cracks on brittle fracture 277–306
microstructure 279
relation tensile properties and temperatures 281–283
Nickel-molybdenum vanadium forging steel (cont.)
tensile properties by crack-notch tensile test.....292
Niobium
See Columbium
Nitride
inclusions in uranium.....760
Nitrogen
additions effect austenitic iron-aluminum-manganese-carbon alloys 900, 902
atoms promote temper brittleness 126
content in Cr-Mn-N steels effects strength 848–852
effects corrosion cracking in stainless steel 840, 844
interstitial element 54
solubility in columbium.....1010
strengthening effect on austenitic chromium-manganese-carbon-nitrogen steel ..865–867
Nivco
for use in turbine blades.....927
Nonoxidizing type media definition 242
"Normal" directionality 154
Notch sensitivity
tempering relation to, in Cr-Mo-V steel 390–392, 394
Notches
important factor in fracture theory 68
in all metals 68
influence dislocation array.....68
severity related to crack initiation location 57–58
Nuclear reactors
use of zirconium alloys for.713, 719
Nucleation
homogeneous 540, 543

Orowan theory
accuracy 692, 696
calculating rolling forces by.675–697
criticism of 676–683
difficulties in application.....677
modification 677, 692
use on uranium sheet.....675–691

Overaging
promoted by cyclic stresses in 2014 alloy 514–516
Overaging theory
aluminum alloy 514–516, 523–524, 526
definition 515
Oxidation
aluminum content effects resistivity of iron-aluminum-manganese-carbon alloys 906, 909
columbium reduces in tungston-columbium alloys 1016–1017, 1021
high temperature of tungston-columbium alloys 1015–1026
kinetics of in tungston-columbium alloys 1015–1019, 1025–1026
of refractory metals 1019–1020
resistivity of AISI 403.....923–924
resistivity of ferromagnetic cobalt-base alloys 923–924
tantalum reduces in tungston-columbium alloys 1016
Oxidizing type media
definition 241
Oxygen
activation energy of diffusion in titanium 198
diffusion in alpha titanium..191–200
diffusion in beta titanium...191–200
interstitial element 54
relation of solubility and strain energy 1009
solid solubility in columbium 990, 991, 997, 1006, 1007, 1010, 1014
solubility in tantalum.....1007
solubility in vanadium.....1007

Peierls process
relation to low temperature creep 501
Peritectic reaction
columbium-oxygen alloys..... .....1001–1002, 1013–1014
Peritectoid reaction
uranium-hafnium alloys.....765–766
Peritectoid
definition 1135
reaction in Zirconium-Iron-Tin System ..1116, 1127, 1129, 1132
Perrin, René
ASM 1959 Albert Sauveur Achievement Award 46–47
Phase diagrams
Columbium-Oxygen 1002
Thorium-Yttrium (proposed)..1101
Titanium-Calcium (tentative) 1080
Titanium-Bismuth 1061
Uranium-Hafnium 775, 778
Yttrium-Magnesium (proposed) 1086
Zirconium-Iron-Tin (tentative) 1129, 1135
Phase study
Antimony-bismuth-indium system 1046–1058
"Planar" directionality 154
Plastic flow
causes damping 106, 107
Polycrystalline materials
substructure studies by x-ray reflection microscopy 603, 607–609
Portevin-Le Chatilier effect 496, 506–507
Potomac steel 367–368
Precipitation
possible structural sequences of chromium from copper..538–540
reaction increases hardness.....442
strain energies of chromium in copper 539–540
temperature of aging does not effect process 535
Precipitation hardened stainless steels retained austenite in 434–450
Precipitation hardening
uranium 0.5 w/o columbium 0.5 w/o molybdenum alloy 798–799
Precipitation process
in copper-chromium alloys..530–544

Precipitation reactions
effects on austenitic chromium-manganese-carbon-nitrogen steel 863–864, 873–874
in aging austenitic chromium-manganese-carbon-nitrogen steel 857, 859–860
two types in austenitic chromium-manganese-carbon-nitrogen steel ...857–860
Precipitation strengthening theory 530
President's Annual Address.....11–16
"Press forging" 634, 648, 656
Putnam, Allan R.
named first Managing Director of ASM 12

Quenching
effect on fatigue properties..271–272

Recrystallization
effects tensile properties of uranium 740–742
temperature increase in nickel due to various additives.551–553
trace elements effect in high purity nickel 545–566
Reduction
versus rolling load for titanium alloys 617–622, 627
Refractory alloys
properties of those containing rhenium 929–947
Refractory metals
oxidation 1019–1020
Refrigeration
increases fatigue life of high strength steels 260, 267–268, 273
"regulus" vanadium 949
Residual stress
in forging thermo-mechanically treated and commercially 670–671
thermo-mechanical method relieves is aluminum alloys 657–674

Retained austenite
amount transformed 270
cooling rate influences the quantity in 3.5% chromium magnet steel 405, 411
effect of stressing.....269
effect on fatigue strength...264–269
had little influence on tensile properties 360
in experimental steels.....356–357
in precipitation hardened stainless steels 434–450
in 17Cr-7Ni-1Al 437–439
in 17Cr-7Ni-3Mo 437–439
quickest cooling rate produces least 409, 411
reduces the induction of a magnetizing force 410
slowest cooling rate produces the most 409, 411
Rhenium
increases ductility in molybdenum-rhenium alloys 929–930
promotes twinning in molybdenum-rhenium alloys 930
properties of refractory alloys containing 929–947
Rolling
early theories for calculating force 675–676
forces calculated by Orowan theory 675–697
results of roll pressure and force calculations on uranium sheet 686–691
Rolling load
versus reduction for titanium alloys 617–622, 627
Russell effect 152

Sauveur Achievement Award....46–47
Secretary's Report 17–24
Segregation
grain boundary related to temper brittleness 89–93
Selenium
addition improves machinability of 5% chromium steel..698–712

Selenium (cont.)
does not effect directionality of 5% chromium steel....704, 707
more effective than sulphur in improving machinability 702
Sheet steel
See Steel sheet
"Short Term Dimensional Stability" 317, 319
Shot peening
increases fatigue properties.272–273
Silicon
additions effect austenitic iron-aluminum-manganese-carbon alloys 902–904, 909, 911–912
compatibility with graphite 1042, 1044
effect on ferromagnetic cobalt-base alloys 925
effect on nickel recrystallization 552
effect on nickel recrystallization temperature 553, 555
effects corrosion cracking in stainless steel 841, 842, 844
Slow crack propogation
See Crack propogation
"Slow strain rate embrittlement"
connection with strain aging embrittlement 72
controlled by hydrogen diffusion..55
defined 55
not displayed in face centered cubic metals 71
observed in columbium.....71
observed in molybdenum.....71
observed in nickel 71
observed in tantalum 71
observed in titanium and its alloys 70
observed in vanadium.....71
relation to blue-brittle behavior 71–72
results from lowering the fracture strength of the lattice 75
Smith, Earl C.
Honorary Membership conferred 47–48
Sodium
corrosion of zirconium alloys 719–720
Solid-state bonding
method of preparing aluminum-copper composites 585–598
of both practical and theoretical interest 585
strength of the "green bond"....588
surface cleanliness of great importance 588, 596, 597
Solubility
of Bi in Ti.....1070
of Ca in Ti.....1080–1081
of oxygen depends on strain energy 1009
of Ti in Ca.....1079–1080
Specific pressure
effect in hot rolling titanium 618–619, 626
temperature effects in hot rolling titanium 624
Sphere-a-steel 568–570, 576
microstructure 568, 570
Stainless steel
carburization 1028–1029, 1043
corrosion cracking of austenitic 830–847
cracking times in boiling $MgCl_2$ 834–837
effect of boron on corrosion cracking 842
effect of carbon on corrosion cracking 840, 842
effect of cobalt on corrosion cracking 842
effect of columbium on corrosion cracking 841
effect of nickel on corrosion cracking 840, 843
effect of nitrogen on corrosion cracking 840, 844
effect of silicon on corrosion cracking 841–842, 844
effect of stressing on cracking times 838–840

Stainless steel (cont.)
effect of temperature of stressing on time to failure..839
effect of titanium on corrosion cracking 841
retained austenite in precipitation hardened ..434–450
precipitation hardened has two hardening mechanisms 450
Static stress
influences internal damping..100–116
Steam turbine rotors
best heat treatment for steel 391–392
bainite superior for.....390
hardness of steel effected by service 392–394
heat treatment desirable for steel 394
martensite not important.....390
properties needed in materials 376–377
Steel
means of strengthening.....321–322
Steel, low alloy
temper brittleness related to internal friction 116–134
Steels, high strength
fatigue properties 257–276
Steel sheet
directionality important in drawing quality 154–169
Stellite 31
damping capacity 918
Strain
necessary to initiate brittle fracture 278
Strain aging embrittlement
connection with slow strain rate embrittlement 72
no satisfactory explanation.....74
results from lowering the fracture strength of the lattice 75
Strain energy
relation to solubility of oxygen 1009
Stress
effects creep of aluminum in the dislocation climb range..451–468
Stress (cont.)
rate effects creep in aluminum 452–453
role in delayed failure.....67–70
"Stress Induced Dimensional Stability" 317, 319
Stress-rupture properties
in Ti-8Mn Alloy sheet effected by hydrogen content 173–178
Stress-strain
equation to calculate in low carbon steel 423–424
Styrene
hydrogen embrittlement 77
Substructure characteristics
studied by x-ray reflection microscopy and diffraction analysis 599–613
Sulphur
effects machinability of 5% chromium steel 698–712
effects tensile properties of 5% chromium steel 698–712
Super Tricent steel.....365–367
Supersaturation
factor in hydrogen embrittlement of titanium alloys 182–190
"surface carbon"
on sheet 149
Surface finish
important influence on fatigue resistance 259–260
Suzuki locking of dislocations... .....494–495, 501

TTT diagram (steel).....347–348
TTT
LaBelle-HT and Super Tricent.366
TTT diagram
3.5% chromium magnet steel 405–406
Tantalum
low strain rate hydrogen embrittlement 71
reduces oxidation in tungston-columbium alloys 1016
solubility of oxygen in.....1007
Tantalum-rhenium alloys
microstructure 936

Tantalum-rhenium alloys (cont.)
rhenium effects ductility, fabricability and strength...935
Technical Program, Forty-first Annual Convention 1–8
Temper brittleness in steel
austenite grain size effects.....94
basic cause undetermined...81, 116
carbon atoms promote.....116
cause 124, 126
dislocation atmospheres determine 126
effect of cold working.....81–94
effect of phosphorus 83, 94
nitrogen atoms promote.....126
related to internal friction in steel 116–134
segregation at grain boundaries probable cause 89–93
trace elements as cause.....89
trace elements control.....130, 132
Temperature
effect on forward slip in hot rolling titanium 625
effect on lateral spread in hot rolling titanium 625
effect on rolling load for titanium 622–624, 627
effect on specific pressure in hot rolling titanium 624
influence of internal damping of AISI 403 100–103
Tempering
Cr-Mo-V steel behavior....382–383
effect on fatigue properties..271–272
influence on tensile properties compared with austenitic deformation 350–352
relation to notch sensitivity in Cr-Mo-V steel 394
Tempering reaction
suggested mechanism for alpha prime decomposition in titanium-copper alloy ...215–217
Tensile properties
5% chromium steel effected by selenium 702–704
5% chromium steel effected by sulphur 702–704
Tensile properties
trace elements effect in high purity nickel 545–566
zirconium alloys 720–722
Texture
in extruded uranium.....781–796
in extruded uranium depends on amounts of slip and twinning 789
of uranium related to optical behavior in polarized light...785
of uranium represented by crystallographic pole figures 786–791
Thermal conductivity
alloy additions decrease in pure iron 583
as-cast irons 569, 576
depends on shape of the graphite phase 571–572, 580
ductile cast iron and gray cast iron 567–584
Lorentz number gives theoretical relationship with electrical conductivity 567–568, 580
304 stainless steel.....569, 576
zirconium alloys 725–727
Thermal expansion coefficients linear for uranium.....790–793
Thermo-mechanical treatment
applied to a die forging.668, 670–671
effect of residual stress in forging and commercial treatment 670–671
effect on tensile properties of aluminum alloy 668, 670
investigation considers
1. temperature to which part is cooled 662–663
2. method of reheating and effects 664–665
3. yield strength of material at time of treatment...665–667
4. state of residual stress before treatment 667
particularly useful for irregular shaped parts 671
procedure 659
recycling 667, 669

Thermo-mechanical treatment (cont.)
relieves residual quenching stresses in aluminum alloys 657–674
should not be applied indiscriminately 667
variables investigated in developing 659–662
Thorium-Yttrium alloys
lattice constants 1105
microstructure 1105–1109
resistance versus temperature...1102
X-ray diffraction 1109–1112
Thorium-Yttrium System ..1097–1114
phase diagram (proposed).....1101
phase diagram important features 1112
Tioga
effect of hardness on fatigue strength 264
microstructure 262
Titanium
activation energy of oxygen diffusion in 198
additions effect austenitic iron-aluminum-manganese-carbon alloys 900
diffusion of oxygen in alpha..191–200
diffusion of oxygen in beta..191–200
effect of composition in hot rolling 627
effect of specific pressure in hot rolling 618–619, 626
effect of rolling variables on hot rolling Ti and Ti alloys.615–627
effect of specimen width in hot rolling 625–627
effect on nickel recrystallization 552
effect on nickel recrystallization temperature 553, 555
effects corrosion cracking in stainless steel 841
effects properties of ferro-magnetic cobalt-base alloys 920–923
forward slip in hot rolling 618–619, 625–627
Titanium (cont.)
lateral spread in hot rolling ..618–619, 622, 625–626
low strain rate hydrogen embrittlement 71–72
rolling load versus reduction 617–622, 627
solubility in calcium.....1079–1080
temperature effect on internal damping under static stress 104–106
temperature effects rolling load 622–624, 627
very low internal damping.....95
Titanium alloys
supersaturation as a factor in hydrogen embrittlement.182–190
tensile ductility effected by temperature 187
Titanium-aluminum alloy
Ti-140A
ductility depends on hydride precipitation 190
in hydrogen, temperature effects tensile ductility....187
tensile ductility effected by testing speed and temperature 183
Titanium-aluminum-vanadium alloy
Ti-6Al-4V
aging decreases ductility.....231
aging effects elongation..225, 227
aging has several stages in.....230
aging increases percent of beta 225–229
aging raises elastic limit..225, 227
aging times for maxima of tensile strength 223
diffraction data 228
effects of aging 221–238
elastic limit raised by aging 225–226
elastic modulus raised by aging 225–226
elongation little effected by aging 225–226
hardness little effected by aging 225–226

Titanium-aluminum-vanadium alloy (cont.)
tensile strength effected by aging 223–225
yield strength effected by aging 224–225
Titanium-Bismuth alloys....1059–1071
differential thermal analysis curves 1068
hardness versus composition 1068, 1069
microstructure 1062–1065
X-ray diffraction data....1066, 1069
Titanium-Bismuth System ..1059–1071
phase diagram 1061
Titanium-calcium alloys 1072–1083
calcium solubility in titanium 1080–1081
microstructure 1075–1077
phase diagram (tentative) 1080
titanium solubility in calcium 1079–1080
X-ray diffraction data....1076–1079
Titanium-Calcium System ..1072–1083
no intermediate phase.....1081
phase diagram 1080
Titanium-copper alloy
activation energy for tempering reaction 214, 219, 220
Arrhenius plot shows activation energy for tempering reaction 214
decomposition kinetics measured by Cohen and autocatalytic equations..211–215
kinetics of alpha prime decomposition in 201–220
martensite decomposition evaluated by electrical resistance variation 209–210
mechanism suggested for alpha prime decomposition in titanium-copper alloy ...215–217
microstructure 204–207
tempering changes electrical resistance 208–210
tempering changes microhardness 206, 208
two reactions compete during tempering 210
Titanium-manganese alloy
Ti-8Mn Alloy Sheet
Anomalous effect of hydrogen on mechanical properties 170–181
factors effecting transition temperature 178–179
hydrogen content effects stress required for rupture 174
notched 175
unnotched 174
microstructure 172
reasons for the anomalous results of hydrogen effect on mechanical properties 178–179
tensile properties, prestrained and aged, unnotched.....177
tensile properties, slow-strain, notched and unnotched 173–176
transition temperature 178–179
transition temperature depends on hydrogen content and strain rate....178
Titanium-Palladium alloy
compared with other corrosion resistant materials 248–251
corrosion resistance compared with pure titanium in hydrochloric acid 242–243
corrosion resistance compared with pure titanium in nonoxidizing media 244
in oxidizing media.....241
corrosion resistance compared with pure titanium in sulphuric acid 245–248
cost 253
mechanism by which paladium improves corrosion resistance 246–248
possibility of hydrogen embrittlement 254–256
resistance to corrosion.....239–256
tensile properties of sheet.....241
Trace elements
control temper brittleness 130, 132

Trace elements (cont.)
effect grain size 563
effect tensile, electrical resistance and recrystallization properties of high purity nickel 545–566
Transformation diagram Cr-Mo-V steel 371, 381
Transformation kinetics and mechanical properties of uranium-0.5 w/o Columbium 0.5 w/o molybdenum alloy 797–811
Transition elements
embrittled by hydrogen.....76
Transition temperatures
factors influencing in Ti-8Mn Alloy sheet 178–179
Treasurer's Report 24–30
Tungsten
additions effect austenitic iron-aluminum-manganese-carbon alloys 912
effect on nickel recrystallization.551
effect on nickel recrystallization temperature 553, 555
properties 470
Tungsten carbide and cobalt alloys strength and deformation 469–484
Tungsten carbide
properties 470
Tungsten carbide-cobalt alloys
deformation characteristics .482–483
embrittlement cause 483
strength and deformation...469–484
tensile deformation 472
WC-CO compacts
bending loads versus deflection 473–474
characteristics 470
fracture strength 482–483
mechanical properties 470–471
microstructure 474–481
plastic characteristics vary with composition 480–482
sintering conditions 470
structural characteristics 470
Tungsten-columbium alloys
columbium effects grain size 1016, 1021
columbium raises melting point 1015–1017
columbium reduces oxidation rate 1016–1017, 1021
coring in 1024
high temperature oxidation 1015–1028
molybdenum does not improve oxidation resistance 1016
oxidation effects hardness 1019–1020, 1025
oxidation kinetics 1015–1019, 1025–1026
Tungsten-molybdenum-rhenium alloys
microstructure 937–938
twinning in 937, 939
Tungsten-rhenium alloys
microstructure 932–934
properties compared of wrought and recrystallized with unalloyed tungston 934–935
twinning 932, 947
Turbine blades
damping capacity 914–915
evaluating materials 96
materials for 914, 925
properties needed in materials for 112

"Uphill Quench" ...658–659, 666–667
Uranium
basic structure 753–754
brittle to ductile transition.....742
crystalline forms 749
dioxide inclusions in.....760
effect of hydride precipitate on tensile properties 736–737
effect of hydride precipitate size on ultimate strength 738–739
effect of recrystallization on tensile properties 740–742
effect of testing temperature on tensile properties..738, 739, 740

Uranium (cont.)
effect of uranium hydride distribution and recrystallization on tensile strength 728–747
fluoride inclusions 759
grain size 755–757
hydride inclusions 759–760
linear thermal expansion coefficients 790–793
metallographic techniques ..749–753
metallography 748–762
microstructure 751, 754, 755, 758–760
monoxide inclusions in.....760–761
nitride inclusions in.....761
nonmetallic inclusions 757–761
pole densities determined by Harris-Mieller method 781–784, 793–795
solubility in alpha hafnium..774–775
texture in extruded effected by cold swaging.....787
texture in extruded depends on amounts of twinning and slip 789
texture in extruded effected by recrystallization 787
texture related to optical behavior in polarized light 785
textures in extruded.....781–796
Uranium 0.5 w/o columbium 0.5 w/o molybdenum alloy hardness and density.....800–802
Uranium 0.5 w/o columbium 0.5 w/o molybdenum alloy isothermal transformations.. .....802, 805, 808
Uranium 0.5 w/o columbium 0.5 w/o molybdenum alloy microstructure .801, 803, 804, 811
Uranium 0.5 w/o columbium 0.5 w/o molybdenum alloy precipitation hardening...798–799
Uranium 0.5 w/o columbium 0.5 w/o molybdenum alloy tensile properties effected by heat treatment 805–808
Uranium-0.5 w/o columbium-0.5 w/o molybdenum alloy transformation kinetics and mechanical properties ...797–811
Uranium-hafnium alloys
electrical resistivity 770–773
eutectoid reaction 767–769
melting temperatures 769
metallographic data 769
microstructure ...767, 772, 774, 779
monotectoid reaction 771–773
peretectoid reaction 765–766
x-ray diffraction 773–774
Uranium-hafnium system 763–780
phase diagram 775, 778
Uranium-monoxide
inclusion in uranium.....760–761
Uranium sheet
results of roll pressure and force calculations 686–691
rolling force calculated by Orowan method 675–691

Vacuum
degassing of low carbon steel 137–141
amount of gases evolved..140–144
composition of gases evolved 140–148
within-coil gas composition 142–149
Vanadium
additions effect austenitic iron-aluminum-manganese-carbon alloys 912
low strain rate hydrogen embrittlement 71
solid solubility 950, 964
solubility of oxygen in.....1007
Vanadium, commercially pure
brittle fracture path....957–962, 966
cleavage habit plane....956–957, 966
flow properties and twinning of 948–970
grain size 950
mechanical twinning 962–964, 967–968
notched bar impact tests....953–965
second phase present in all instances 961

Vanadium (cont.)
temperature effect on tensile properties 952–956, 965
tensile properties 951–955
Vegards law 884
Vibration amplitude
effects damping capacity of ferromagnetic cobalt-base alloys 917–918

Weight
gain by zirconium alloys.....719
Wetting
boron 975
Whiskers
strength 347
Wiedeman-Franz Ratio
See Lorentz number

X-ray data
columbium-oxygen alloys.1003–1005
X-ray diffraction analysis
titanium-bismuth alloys 1066–1067, 1069
titanium calcium alloys....1076–1079
copper-chromium alloys 533–535
X-ray reflection microscopy
correlation with metallographic methods 599, 607, 610
makes possible study of individual grains...599, 607–609
method described 600–606
use to study substructure characteristics of fine grained metals 599–613

Yttrium-Magnesium alloys
microstructure 1088, 1090–1091, 1093
potential use as structural material 1084
use in nuclear reactors.....1084
Yttrium-Magnesium alloys (cont.)
X-ray diffraction data 1089, 1092, 1094
Yttrium-Magnesium System 1084–1096
eutectic reaction 1092–1095
intermediate phases 1087–1092
phase diagram (proposed).....1086
phase diagram important features 1095–1096

Zircaloy-2 ....713, 720, 812–829, 1133, 1134
metallographic study of corrosion stringers in...812–829
microstructure 815, 817–818, 820, 821, 825, 828
production method 812
Zirconium
effect on nickel recrystallization 554
effect on nickel recrystallization temperature 553, 555, 560
neutron absorption characteristics 719
Zirconium alloys
corrosion in sodium.....719–720
creep resistance 722–726
high strength 713–727
processing effects hardness and hydrogen content 718
tensile properties 720–722
thermal conductivity 725–727
use in nuclear reactors.....713, 719
weight gain 719
Zirconium-Iron-Tin System 1115–1136
diffraction pattern 1127, 1129
important features 1132
isothermal section (partial) 1120–1124, 1131
phase diagram (tentative) 1129, 1130, 1135